


Examination Room Plans

Contents

Page	Room
5	2/1083
6	2/1085
7	2/1089
8	2A/2065
9	2A/2077
10	4/3045 (Z)
11	5/2011
12	5/2015
13	5/2017
14	18/Jubilee Sports Hall
15	25/1007
16	25/1009
17	25/1011 (Z)
18	25/1017 (Z)
19	28/1017 (Z)
20	28/1021 (Z)
21	28/1021 (Z)
22	32/1015
23	35/1001
24	35/1005
25	40/Garden Court A
26	40/Garden Court B
27	42/SU Sports Hall
28	44/1061
29	46/2003
30	46/2005
31	46/3001

Page	Room
32	54/5025
33	54/5027
34	58/1043 (Z CAA)
35	58/1045
36	58/1047
37	58/1049
38-39	59/Lab 2203/2213
40-41	59/Lab 3229
42	65/2129
43	65/2149
44	67/1037
45	100/1001
46	100/3023
47	100/4013
48	100/5011
49	100/7007 (Z)
50	100/7011 (Z)
51	100/7013 (Z)
52	100/8009 (Z)
53	100/8011 (Z)
54	100/8013 (Z)
55	166/21/Lab G1
56	166/27/Lab G2
57	166/37/Lab T


Glen Eyre Main Hall



Glen Eyre Main Hall - Max capacity 108

- Level – Ground Floor
- Toilets – Along corridor by Halls Office
- Telephone – Radio
- Lighting – On left hand wall by stage
- Ventilation – Windows
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff


Building 2/1079



Building 2/1079 - Max capacity 30

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1083



Building 2/1083 - Max capacity 49

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1085



Building 2/1085 - Max capacity 48

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1089



Building 2/1089 - Max capacity 72

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2A/2065



Building 2A/2065 - Max capacity 87

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary (delivered by porters) & Fixed Benching
- Invigilation– 2 members of staff


Building 2A/2077



Building 2A/2077 - Max capacity 75

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary (delivered by porters) & Fixed Benching
- Invigilation - 2 members of staff

Building 4/3045 (Z)




Building 4/3045 (Z) - Max capacity 26

Computer Room

- Level – 3
- Toilets – Level 2
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 5/2011




Building 5/2011 - Max capacity 25

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 1 member of staff (Plus 1 floating invigilator across all 3 rooms)

Building 5/2015

Back of Room



FRONT




Invigilators

Building 5/2015 - Max capacity 40

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 1 member of staff (Plus 1 floating invigilator across all 3 rooms)


Building 5/2017



Building 5/2017 - Max capacity 39

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 1 member of staff (Plus 1 floating invigilator across all 3 rooms)


Building 18/Jubilee Sports Hall



Building 18/Jubilee Sports Hall - Max capacity 524

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – On wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 11 members of staff (Including TL)

Building 25/1007




Building 25/1007 - Max capacity 44

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall, press and hold to brighten
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 25/1009




Building 25/1009 - Max capacity 80

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 3 members of staff

Building 25/1011 (Z)




Building 25/1011 (Z) - Max capacity 22

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 25/1017 (Z)



Building 25/1017 (Z) - Max capacity 9 Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 28/1017 (Z)



Building 28/1017 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Fixed desks and chairs

Invigilation – 2 members of staff

Building 28/1019 (Z)



Building 28/1019 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 2017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the door next to the door


Ventilation – Windows

Layout – Flat room

Seating – Fixed desks and chairs

Invigilation - 2 members of staff

Building 28/1021 (Z)



Building 28/1021 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 1017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Fixed desks and chairs

Invigilation – 2 members of staff


Building 32/1015



Building 32/1015 - Max capacity 213

- Level – Ground, go past reception through sliding doors, turn right
- Toilets – Along the corridor
- Telephone – Radio
- Lighting – Control panel by workstation on right hand wall, put on number 1
- Ventilation – Windows
- Layout - Raked - **(If required, back row set aside for wheelchair access)**
- Seating - Fixed/temporary desks & chairs (delivered by porters)
- Invigilation - 6 members of staff (Including TL)


Building 35/1001



Building 35/1001 - Max capacity 66

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 35/1005



Building 35/1005 - Max capacity 50

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 40/Garden Court Room A



Building 40/Garden Court Room A - Max capacity 160

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall

Ventilation – Windows


Layout – Flat **(If required, seats G1 & H1 set aside for electronic riser desk)**

Seating - Temporary desks & chairs (delivered by porters)

Invigilation – Rm A – 3 members of staff (Including T/L)

Rm B – 3 members of staff

Building 40/Garden Court Room B



Building 40/Garden Court Room B

Max capacity 105

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall


Ventilation – Windows

Layout - Flat

Seating - Temporary desks & chairs (delivered by porters)

Invigilation - Rm B- 3 members of staff

Building 42/Students Union Sports Hall




Building 42/Students Union Sports Hall

Max capacity 208

- Level – 1
- Toilets – Level 1 along corridor
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 6 members of staff (Including TL)

Building 44/1061




Building 44/1061 - Max capacity 82

Computer Room

- Level – Ground Floor
- Toilets – Exit the front of the room
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed desks & chairs
- Invigilation - 3 members of staff

Building 46/2003

Back of Room





Building 46/2003 - Max capacity 62

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 46/2005


Back of Room



Building 46/2005 - Max capacity 53

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic (switch panel on projection desk if there are any problems)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 46/3001



Building 46/3001 - Max capacity 168

- Level – First floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff (Plus 1 floating invigilator across 3 rooms but based in 3001)

Building 54/5025




1375mm.

Building 54/5027 - Max capacity 55

- Level – 5, come out of lift and go upstairs, 1st left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 54 / 5027



Building 54/5027 - Max capacity 55

- Level – 5, come out of lift and go upstairs, 1st left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 58/1043 (Z)




Building 58/1043 (Z) - Max capacity 38

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 58/1045




Building 58/1045 Max capacity - 32

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

(Z) Building 58/1047




Building 58/1047 Max capacity - 21

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 58/1049




Building 58/1049 - Max capacity - 25

Computer Room

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed desks and chairs
- Invigilation - 2 members of staff

Building 59 / Rooms 2203/2213



Building 59


Room 2203 & 2213, Level 2

Max capacity – Rm 2203 – 64

Max capacity – Rm 2213 – 138

Level – 2
Toilets – Level 2
Telephone – Radio only
Lighting – Automatic
Heating - Local controls
Ventilation – Automatic & Windows
Layout - Flat
Seating - Fixed bench PCs
Invigilation - 8 members of staff

Building 59 /Room 3229



Building 59


Room 3229,

Level 3

Max capacity – 178

Level – 3
Toilets – Level 3
Telephone – Radio only
Lighting – Automatic
Heating – controls
Ventilation – Automatic & Windows
Layout - Flat
Seating - Fixed bench PCs
Invigilation - 8 members of staff
Middle desk can control whole room. All
lecterns with standing microphone.
Lecterns on end to Split Room.
Letters D & F to enter through SOUTH
STAIR and SOUTH ENTRANCE in the areas
of P 1 & 2.
Letters D & G to enter through NORTH
STAIR and NORTH ENTRANCE in the areas
of P3, 4 and 5.


Building 65/2129



Building 65/2129 - Max capacity 18

- Level – Level 2
- Toilets –
- Telephone – Radio only
- Lighting –
- Ventilation –
- Layout - Flat
- Seating -
- Invigilation - 2 members of staff


Building 65/2141



Building 65/2141 - Max capacity 39

- Level – Level 2
- Toilets –
- Telephone – Radio only
- Lighting –
- Ventilation –
- Layout - Flat
- Seating -
- Invigilation - 2 members of staff


Building 67/1037



Building 67/1037 - Max capacity 132

- Level – Ground floor
- Toilets – To the left of the main room through the doors
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked (If required, back row set aside for wheelchair access)
- Seating - Fixed benching
- Invigilation - 3 members of staff


Building 100/1001



Building 100/1001 - Max capacity - 104

- Level – Ground Floor (Level 2)
- Toilets – Level 2 - Exit at the rear of LT, turn left, at the end of the corridor
Level 1 - Exit at the bottom of the LT, turn right, upstairs, on the right
- Telephone – Radio only
- Lighting – Automatic (Low, Med & High setting on PC screen)
- Ventilation – Centrally controlled
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff

Building 100, Room 3023




Building 100/Room 3023

Max capacity 80

- Level – Level 3
- Toilets – Exit LT, turn left and left again (by staircase)
- Telephone – Radio only
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 4 members of staff (including floating invigilator)

Building 100, Room 4013




Building 100/Room 4013

Max capacity 80

- Level – Level 4
- Toilets – Exit LT, turn left and left again (by staircase)
- Telephone – Radio only
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff

Building 100, Room 5011




Printer Outside Room

Building 100/Room 5011

Max capacity 30

- Level – Level 3
- Toilets – Exit room, turn left, down corridor, turn left (by staircase)
- Telephone – Radio only
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff

Building 100/5013 (Z)



Building 100/5013 (Z) - Max capacity 15

Level – Level 5

Toilets – Exit room, turn right and then left to corridor by lifts, at the end of the corridor turn left

Telephone – Radio

Lighting – Switch on wall (by door), rocker switch, press up for on and down for off


Ventilation – Centrally controlled

Layout - Flat

Invigilation - 2 members of staff

Window blinds – roller blinds. Pull chord to side of window to raise/lower blinds.

Building 100/5017 (Z)



Building 100/5017 (Z) - Max capacity 15

Level – Level 5

Toilets – Exit room, turn right and then left to corridor by lifts, at the end of the corridor turn left

Telephone – Radio

Lighting – Switch on wall (by door), rocker switch, press up for on and down for off


Ventilation – Centrally controlled

Layout - Flat

Invigilation - 2 members of staff

Window blinds – roller blinds. Pull chord to side of window to raise/lower blinds.


Building 100/5015 (Z)



Building 100/5015 (Z) - Max capacity 15

- Level – Level 5
- Toilets – Exit room, turn right and then left to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff
- Window blinds – roller blinds. Pull chord to side of window to raise/lower blinds.


Building 100/7007 (Z)



Building 100/7007 (Z) - Max capacity 10

- Level – Level 7
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff
- Window blinds – roller blinds. Pull chord to side of window to raise/lower blinds.


Building 100/7011 (Z)



Building 100/7011 (Z) - Max capacity 15

- Level – Level 7
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff
- Window blinds – roller blinds. Pull chord to side of window to raise/lower blinds.


Building 100/8009 (Z)



Building 100/8009 (Z) - Max capacity 10

- Level – Level 8
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff


Building 100/8011 (Z)



Building 100/8011 (Z) - Max capacity 15


- Level – Level 8
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff

Building 100/8013 (Z)



Building 100/8013 (Z) - Max capacity 15

- Level – Level 8
- Toilets – Exit room, turn right to corridor by lifts, at the end of the corridor turn left
- Telephone – Radio
- Lighting – Switch on wall (by door), rocker switch, press up for on and down for off
- Ventilation – Centrally controlled
- Layout - Flat
- Invigilation - 2 members of staff



NOCS/166/21 Lab G1 – Max Capacity 41

Level – 6

Toilets – Ladies and Disabled Node 1; Gents Node 8

Telephone – On lectern


Lighting – On right side of entry door

Ventilation – Windows

Layout – Flat

Seating – Moveable desks and chairs

Invigilation – 2 members of staff



NOCS/166/27 Lab G2 – Max Capacity 24

Level – 6

Toilets – Ladies and Disabled Node 1; Gents Node 8

Telephone – On lectern


Lighting – On right side of entry door

Ventilation – Windows

Layout – Flat

Seating – Moveable desks and chairs

Invigilation – 2 members of staff



NOCS/166/37 Lab T – Max Capacity 42

Level – 6

Toilets – Ladies and Disabled Node 1; Gents Node 6

Telephone – On lectern

Lighting – On right side of entry door

Ventilation – Windows

Layout – Flat

Seating – Moveable desks and chairs

Invigilation – 2 members of staff