# Adding IP cores in PL

### Introduction

This lab guides you through the process of extending the processing system you created in the previous lab by adding two GPIO (General Purpose Input/Output) IPs

# **Objectives**

After completing this lab, you will be able to:

- Configure the GP Master port of the PS to connect to IP in the PL
- Add additional IP to a hardware design
- Setup some of the compiler settings

#### **Procedure**

This lab is separated into steps that consist of general overview statements that provide information on the detailed instructions that follow. Follow these detailed instructions to progress through the lab.

This lab comprises 6 primary steps: You will open the project in Vivado, add and configure GPIO peripherals in the system using IP Integrator, connect external ports, generate bitstream and export to SDK, create a TestApp application in SDK, and, finally, verify the design in hardware.

# **Design Description**

The purpose of this lab exercise is to extend the hardware design (Figure 1) created in Lab 1





Figure 1. Extend the System from the Previous Lab



### General Flow for this Lab



In the instructions below;

{ sources} refers to: C:\xup\embedded\2015\_2\_zynq\_sources

{ labs } refers to : C:\xup\embedded\2015\_2\_zynq\_labs

{ labsolutions} for the ZedBoard refers to: C:\xup\embedded\2015\_2\_zedboard\_labsolution or for the Zybo refers to: C:\xup\embedded\2015\_2\_zedboard\_labsolution

# 10pen the Project

Step 1

- 1-1. Open the previous project, or the lab1 project from the {labsolutions} directory, and save the project as lab2. Open the Block Design.
- **1-1-1.** Start Vivado, if necessary, and open either the lab1 project (lab1.xpr) you created in the previous lab or from the {*labsolutions*} directory using the **Open Project** link in the Getting Started page.
- **1-1-2.** Select **File > Save Project As ...** to open the *Save Project As* dialog box. Enter **lab2** as the project name. Make sure that the *Create Project Subdirectory* option is checked, the project directory path is {labs} and click **OK**.

This will create the lab2 directory and save the project and associated directory with lab2 name.

### 2Add Two Instances of GPIO

Step 2

- 2-1. Enable AXI\_M\_GP0 interface, FCLK\_RESET0\_N, and FCLK\_CLK0 ports, Add two instances of a GPIO Peripheral from the IP catalog to the processor system.
- **2-1-1.** In the *Sources* panel, expand system\_*wrapper*, and double-click on the **system.bd** (**system\_i**) file to invoke IP Integrator. (The Block Design can also be opened from the Flow Navigator)
- **2-1-2.** Double click on the Zyng block in the diagram to open the *Zyng configuration* window.



Lab Workbook Adding IP cores in PL

**2-1-3.** Select **PS-PL Configuration** page menu on the left, or click **32b GP AXI Master Ports** block in the Zyng Block Design view.



Figure 2. AXI Port Configuration

**2-1-4.** Expand *AXI Non Secure Enablement > GP Master AXI Interfaces,* if necessary, and click on **Enable M AXI GP0 interface** check box under the field to enable the AXI GP0 port.




Figure 3. Configuration of 32b Master GP Block

- **2-1-5.** Expand **General > Enable Clock Resets** and select the **FCLK\_RESET0\_N** option.
- **2-1-6.** Select the **Clock Configuration** tab on the left. Expand the **PL Fabric Clocks** and select the **FCLK CLK0** option (with requested clock frequency of 100.000000 MHz) and click **OK.**
- **2-1-7.** Notice the additional M\_AXI\_GPO interface, and M\_AXI\_GPO\_ACLK, FCLK\_CLK0, and FCLK\_RESET0\_N ports are now included on the Zynq block. You can click the regenerate button ( ) to redraw the diagram.




Figure 4. Zyng system with AXI and clock interfaces

2-1-8. Click the Add IP icon # and search for AXI GPIO in the catalog






Figure 5. Add GPIO IP

**2-1-9.** Double-click the **AXI GPIO** to add the core to the design. The core will be added to the design and the block diagram will be updated.




Figure 6. Zynq system with AXI GPIO added

2-1-10. Click on the AXI GPIO block to select it, and in the properties tab, change the name to switches




Figure 7. Change AXI GPIO default name

- **2-1-11.** Double click on the **AXI GPIO** block to open the customization window.
- **2-1-12.** From the **Board Interface** drop down, select **sws 8bits** for ZedBoard or **sws 4bits** for Zybo for GPIO.






Figure 8. Configuring GPIO instance

**2-1-13.** Click the IP configuration tab, and notice the width has already been set to match the switches on the ZedBoard (8) or Zybo (4)

Notice that the peripheral can be configured for two channels, but, since we want to use only one channel without interrupt, leave the *Enable Interrupt* and *Enable Dual Channel* unchecked.




Figure 9. Configuring GPIO instance

- 2-1-14. Click OK to save and close the customization window
- **2-1-15.** Notice that *Designer assistance* is available. Click on **Run Connection Automation**, and select /switches/S\_AXI



2-1-16. Click OK when prompted to automatically connect the master and slave interfaces




Figure 10. Run connection automation

**2-1-17.** Notice two additional blocks, *Processor System Reset*, and *AXI Interconnect* have automatically been added to the design. (The blocks can be dragged to be rearranged, or the design can be redrawn.)




Figure 11. Design with switches automatically connected

- **2-1-18.** Add another instance of the *GPIO* peripheral (**Add IP**). Name it as **buttons**
- **2-1-19.** Double click on the IP block, select the *btns* GPIO interface (*btns\_5bits* for the Zedboard, *btns 4bits* for the Zybo) and click **OK**.

At this point connection automation could be run, or the block could be connected manually. This time the block will be connected manually.

**2-1-20.** Double click on the AXI Interconnect and change the *Number of Master* Interfaces to **2** and click **OK** 






Figure 12. Add master port to AXI Interconnect

- **2-1-21.** Click on the *s\_axi* port of the buttons AXI GPIO block, and drag the pointer towards the AXI Interconnect block. The message *Found 1* interface should appear, and a green tick should appear beside the *M01\_AXI* port on the AXI Interconnect indicating this is a valid port to connect to. Drag the pointer to this port and release the mouse button to make the connection.
- 2-1-22. In a similar way, connect the following ports:

  buttons s\_axi\_aclk -> Zynq7 Processing System FCLK\_CLK0

  buttons s\_axi\_aresetn -> Processor System Reset peripheral\_aresetn

  AXI Interconnect M01\_ACLK -> Zynq7 Processing System FCLK\_CLK0

  AXI Interconnect M01\_ARESETN -> Processor System Reset peripheral\_aresetn

The block diagram should look similar to this:




Figure 13. System Assembly View after Adding the Peripherals



- 2-1-23. Click on the *Address Editor* tab, and expand **processing\_system7\_0 > Data > Unmapped**Slaves if necessary
- **2-1-24.** Notice that *switches* has been automatically assigned an address, but *buttons* has not (since it was manually connected). Right click on *btns\_4bit* and select **Assign Address** or click on the button.

Note that both peripherals are assigned in the address range of 0x40000000 to 0x7FFFFFFF (GP0 range).




Figure 14. Peripherals Memory Map

# 3Make GPIO Peripheral Connections External

Step 3

- 3-1. The push button and dip switch instances will be connected to corresponding pins on the board. This can be done manually, or using Designer Assistance. Normally, one would consult the board's user manual to find this information.
- **3-1-1.** In the Diagram view, notice that *Designer Assistance* is available. We will manually create the ports and connect.
- **3-1-2.** Right-Click on the *GPIO* port of the *switches* instance and select **Make External** to create the external port. This will create the external port named *gpio* and connect it to the peripheral. Because Vivado is "board aware", the pin constraints will be automatically applied to the port.
- **3-1-3.** Select the *gpio* port and change the name to **switches** in its properties form.

The width of the interface will be automatically determined by the upstream block.

- **3-1-4.** For the **buttons** GPIO, click on the *Run Connection Automation* link.
- **3-1-5.** In the opened GUI, select *btns\_5bits* (for ZedBoard) or *btns\_4bits* (for Zybo) under the options section.
- 3-1-6. Click OK.
- **3-1-7.** Select the created external port and change its name as **buttons**
- **3-1-8.** Run Design Validation (**Tools -> Validate Design**) and verify there are no errors.

The design should now look similar to the diagram below






Figure 15. Completed design

- 3-2. Synthesize the design, open the I/O Planning layout, and check the constraints using the I/O planning tool.
- **3-2-1.** In the Flow Navigator, click **Run Synthesis**. (Click **Save** if prompted) and when synthesis completes, select **Open Synthesized Design** and click **OK**
- **3-2-2.** In the shortcut Bar, select I/O Planning from the Layout dropdown menu




Figure 16. Switch to the IO planning view

**3-2-3.** In the I/O ports tab, expand the two GPIO icons, and expand *buttons\_tri\_i*, and *switches\_tri\_i*, and notice that the ports have been automatically assigned pin locations, along with the other *Fixed IO* ports in the design, and an I/O Std of LVCMOS25 (for ZedBoard) and LVCMOS33 (for Zybo) has been applied. If they were not automatically applied, pin constraints can be included in a constraints file, or entered manually or modified through the I/O Ports tab.




Figure 17. The IP port pin constraints for the ZedBoard






Figure 18. The IP port pin constraints for the Zybo

# 4Generate Bitstream and Export to SDK

Step 4

- 4-1. Generate the bistream, and export the hardware along with the generated bitstream to SDK.
- **4-1-1.** Click on **Generate Bitstream**, and click **Yes** if prompted to Launch Implementation (Click **Yes** if prompted to save the design)
- 4-1-2. Click Cancel
- **4-1-3.** Export the hardware by clicking **File > Export > Export Hardware** and click **OK**. This time, there is hardware in Programmable Logic (PL) and a bitstream has been generated and should be included in the export to SDK.




Figure 19. Export the design

- **4-1-4.** Click **Yes** to overwrite the hardware module.
- 4-1-5. Start SDK by clicking File > Launch SDK and click OK



# 5Generate TestApp Application in SDK

Step 5

- 5-1. Close the projects from the previous lab. Generate software platform project with default settings and default software project name (standalone\_0).
- 5-1-1. In SDK, right click on the mem test project from the previous lab and select Close Project
- **5-1-2.** Do the same for mem\_test\_bsp and system\_wrapper\_hw\_platform\_0
- 5-1-3. From the *File* menu select **File** > **New** > **Board Support Package**
- **5-1-4.** Click **Finish** with the *standalone* OS selected and default project name as *standalone\_bsp\_0*
- **5-1-5.** Click **OK** to generate the board support package named *standalone bsp 0*
- 5-1-6. From the File menu select File > New > Application Project
- **5-1-7.** Name the project **TestApp**, select *Use existing* board support package, select **standalone bsp 0** and click **Next**




Figure 20. Application Project settings



5-1-8. Select Empty Application and click Finish

This will create a new Application project using the created board support package.

- **5-1-9.** The library generator will run in the background and will create the **xparameters.h** file in the **lab2\lab2.sdk\standalone\_bsp\_0\ps7\_cortexa9\_0\include** directory
- 5-1-10. Expand **TestApp** in the project view, and right-click on the **src** folder, and select **Import**
- 5-1-11. Expand General category and double-click on File System
- 5-1-12. Browse to the {sources}\lab2 folder
- 5-1-13. Select lab2.c and click Finish

A snippet of the source code is shown in figure below.

```
#include "xparameters.h"
#include "xgpio.h"
//-----
int main (void)
   XGpio dip, push;
   int psb_check, dip_check;
   xil printf("-- Start of the Program --\r\n");
   XGpio_Initialize(&dip, XPAR_SWITCHES_DEVICE_ID);
   XGpio SetDataDirection(&dip, 1, 0xffffffff);
   XGpio_Initialize(&push, XPAR_BUTTONS_DEVICE_ID);
   XGpio SetDataDirection(&push, 1, 0xffffffff);
   while (1)
     psb check = XGpio_DiscreteRead(&push, 1);
     xil printf("Push Buttons Status %x\r\n", psb check);
     dip check = XGpio DiscreteRead(&dip, 1);
     xil printf("DIP Switch Status %x\r\n", dip_check);
     sleep(1);
```

Figure 21. Snippet of source code

Lab Workbook Adding IP cores in PL

6Test in Hardware Step 6

6-1. Connect the board with a micro-usb cable(s) and power it ON. Establish the serial communication using SDK's Terminal tab.

- **6-1-1.** Make sure that micro-USB cable(s) is(are) connected between the board and the PC. Turn ON the power
- 6-1-2. Select the \*\*Terminal\*\* tab. If it is not visible then select Window > Show view > Terminal\*\*
- **6-1-3.** Click on and if required, select appropriate COM port (depends on your computer), and configure it with the parameters as shown. (These settings may have been saved from previous lab)
- 6-2. Program the FPGA by selecting Xilinx Tools > Program FPGA and assigning system.bit file. Run the TestApp application and verify the functionality
- 6-2-1. Select Xilinx Tools > Program FPGA




Figure 22. Program FPGA

- **6-2-2.** Click **Program** to download the hardware bitstream. When FPGA is being programmed, the DONE LED (green color) will be off, and will turn on again when the FPGA is programmed
- **6-2-3.** Select **TestApp** in *Project Explorer*, right-click and select **Run As > Launch on Hardware (GDB)** to download the application, execute ps7 init, and execute TestApp.elf
- 6-2-4. You should see the something similar to the following output on Terminal console



DIP Switch Status 6
Push Buttons Status 8

Figure 23. SDK Terminal output

- **6-2-5.** Select *Console* tab and click on the *Terminate* button (■) to stop the program
- **6-2-6.** Close SDK and Vivado programs by selecting **File > Exit** in each program
- 6-2-7. Power OFF the board

#### Conclusion

GPIO peripherals were added from the IP catalog and connected to the Processing System through the 32b Master GP0 interface. The peripherals were configured and external FPGA connections were established. A TestApp application project was created and the functionality was verified after downloading the bitstream and executing the program.

